(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

| Map symbol and soil name |   |  | Picnic areas                     |   | Playgrounds |  |                                      |
|--------------------------|---|--|----------------------------------|---|-------------|--|--------------------------------------|
|                          | <br> <br> <br>                          |  |                                  | Rating class and   limiting features                          |             |  |                                      |
| AcB:<br>Acquango         |   | Flooding<br>  Too sandy  |                                  | Salinity  |             | <br> <br> Very limited<br>  Too sandy<br>  Flooding<br>  Slope<br>  Salinity | <br> 1.00<br> 0.60<br> 0.50<br> 0.01 |
| AcC:<br>Acquango         | 90                                      | Flooding   |                                  | Salinity  |             | <br> Very limited<br>  Too sandy<br>  Slope<br>  Flooding<br>  Salinity      | <br> 1.00<br> 1.00<br> 0.60<br> 0.01 |
| As:<br>Askecksy          | 80                                      | <br> Very limited<br>  Depth to<br>  saturated zone<br>  Too sandy | 1.00                             | Depth to saturated zone                                       | 1.00        | <br> Very limited<br>  Depth to<br>  saturated zone<br>  Too sandy           | 1.00                                 |
| Be:<br>Beaches           | 100                                     | <br> Not rated<br> <br>  | <br>                             | <br> Not rated<br> <br>                                       |             | <br> Not rated<br> <br>  |                                      |
| Bh:<br>Berryland         | <br> <br> <br> <br> <br> <br> <br> <br> | Depth to<br>  saturated zone<br>  Flooding<br> <br>  Ponding       | 1.00                             | Ponding<br> <br>  Depth to<br>  saturated zone<br>  Too sandy |             | ĺ  | 1.00                                 |
| BkA:<br>Brockatonorton   |   | Flooding   | <br> <br> 1.00<br> 1.00<br> 0.01 | Too sandy<br>  Salinity                                       |             | <br> Very limited<br>  Too sandy<br>  Flooding<br>  Salinity                 | <br> 1.00<br> 0.60<br> 0.01          |
| BkB:<br>Brockatonorton   | 80                                      | Flooding   | 1.00                             | Salinity  | 11.00       | <br> Very limited<br>  Too sandy<br>  Flooding<br>  Slope<br>  Salinity      | <br> 1.00<br> 0.60<br> 0.50<br> 0.01 |
| Br:<br>Broadkill         | 80                                      | <br> <br> Very limited   | <br>                             | <br> <br> Very limited  | <br> <br>   | <br> <br> Very limited   |                                      |

Table REC-1.--Recreation--Continued

|                   | <br> Pct.<br>  of<br> map<br> unit                          |   |                                    | Picnic areas<br> <br>   | Picnic areas                                 |   |  |
|-------------------|---|---|------------------------------------|---|--|---|--|
|                   | <br> <br> <br>  | <br>  Rating class and<br>  limiting features<br>   |                                    | <br>  Rating class and<br>  limiting features   |  | <br>  Rating class and<br>  limiting features<br>   | Value  |
|                   |   | saturated zone<br>  Salinity<br>  | 1.00<br>  1.00<br>  1.00<br>  1.00 | Depth to   saturated zone   Salinity  | 1.00<br>  1.00<br>  1.00<br>  1.00<br>  0.40 | saturated zone Salinity Flooding  | 1.00<br>  1.00<br>  1.00<br>  1.00<br>  1.00 |
| BX:<br>Boxiron    | <br>  40<br> <br> <br> <br> <br> <br>                       | Not Rated   Not Rated; Sieve   size   | <br>                               | Not Rated   Not Rated;   Surface clay   percent or   taxonomic class   Not Rated; %   surface sand or   clay   Not Rated; Sieve         | <br>   | Not Rated   Not Rated; Sieve   size   |  |
| Broadkill         | <br> | surface sand or clay  Depth to saturated zone Salinity  Very limited Depth to saturated zone Salinity | 1.00                               | size<br> <br>  Ponding<br>  Depth to<br>  saturated zone<br>  Very limited<br>  Ponding<br>  Depth to<br>  saturated zone<br>  Salinity | 1.00   | Surface clay percent or taxonomic class Depth to saturated zone Content of organic matter Very limited Depth to saturated zone saturated zone Salinity Flooding | 1.00<br> <br> 1.00<br> <br> <br> 1.00        |
| CeA:<br>Cedartown | <br>  55<br>  |   |                                    | <br> Somewhat limited<br>  Too sandy  | 0.40   | <br> Somewhat limited<br>  Too sandy  | 0.40   |
| Rosedale          | <br>  25<br>  |   |                                    | Somewhat limited<br>  Too sandy   |  | <br> Somewhat limited<br>  Too sandy<br>  | 0.84   |
| CeB:<br>Cedartown | <br>  55<br>  | <br> Somewhat limited<br>  Too sandy<br>  |                                    | <br> Somewhat limited<br>  Too sandy<br>  | 0.40   |   | 0.50   |
| Rosedale          | <br>  25<br> <br>   | <br> Somewhat limited<br>  Too sandy<br>  | 0.84                               | <br> Somewhat limited<br>  Too sandy<br>  | <br> <br> 0.84<br>                           | <br> Somewhat limited<br>  Too sandy<br>  Slope   | 0.84   |
| Ch:<br>Chicone    | <br>  75<br> <br> <br> <br> <br>                            | <br> Very limited<br>  Depth to<br>  saturated zone<br>  Flooding<br> <br>  Ponding                   | 1.00                               | <br> Very limited<br>  Ponding<br> <br>  Depth to<br>  saturated zone   | 1.00   | <br> Very limited<br>  Depth to<br>  saturated zone<br>  Ponding<br> <br>  Flooding   | 1.00   |

Table REC-1.--Recreation--Continued

| Map symbol   Po<br>and soil name   m<br>  m<br>  u: |                        | i  |                     | <br>  Picnic areas<br> <br>                         |                         | Playgrounds<br> <br>  |                                  |
|---|------------------------|--|---------------------|---|-------------------------|---|----------------------------------|
|   | <br> <br> <br>         |  |                     | <br>  Rating class and<br>  limiting features<br>   |                         |   |                                  |
| Ek:<br>Elkton                                       | <br> <br>  80<br> <br> | <br> <br> Very limited<br>  Depth to<br>  saturated zone | 11.00               | <br> Very limited<br>  Depth to<br>  saturated zone | 1 1.00                  | <br> Very limited<br>  Depth to<br>  saturated zone             | <br> <br> <br> 1.00              |
| Em:<br>Elkton                                       | <br>  80<br> <br>      | <br> Very limited<br>  Depth to<br>  saturated zone      | 11.00               | <br> Very limited<br>  Depth to<br>  saturated zone | <br> <br> 1.00          | <br> Very limited<br>  Depth to<br>  saturated zone             | 11.00                            |
| Eva:<br>Evesboro                                    |                        |  |                     | <br> Somewhat limited<br>  Too sandy                |                         | <br> Somewhat limited<br>  Too sandy                            | 0.81                             |
| EvB:<br>Evesboro                                    | <br>  80<br>           | <br> Somewhat limited<br>  Too sandy<br>                 | <br> <br> 0.81<br>  | <br> Somewhat limited<br>  Too sandy<br>            | <br> <br> 0.81          | Too sandy   | <br> 0.81<br> 0.50               |
| Evc:<br>Evesboro                                    |                        | <br> Somewhat limited<br>  Too sandy                     | <br> <br> 0.81      | <br> Somewhat limited<br>  Too sandy<br>            | 0.81                    | <br> Very limited<br>  Slope<br>  Too sandy                     | 1.00                             |
| Fa:<br>Fallsington                                  |                        | Depth to   | 1.00                | <br> Very limited<br>  Depth to<br>  saturated zone | 11.00                   | <br> Very limited<br>  Depth to<br>  saturated zone             |                                  |
| FmA:<br>Fort Mott                                   |                        | <br> Somewhat limited<br>  Too sandy                     | 0.79                | <br> Somewhat limited<br>  Too sandy                | <br> <br> <br> 0.79     | <br> Somewhat limited<br>  Too sandy                            | 0.79                             |
| FmB: Fort Mott                                      | <br>  80<br> <br>      | <br> Somewhat limited<br>  Too sandy<br>                 | <br> <br> <br> 0.79 | <br> <br> Somewhat limited<br>  Too sandy<br>       | 0.79                    | Too sandy   | 0.79                             |
| GaA:<br>Galestown                                   |                        | <br> Somewhat limited<br>  Too sandy                     | <br> <br> 0.81      | <br> Somewhat limited<br>  Too sandy<br>            | 0.81                    | <br> Somewhat limited<br>  Too sandy<br>  Gravel content        |                                  |
| GaB:<br>Galestown                                   |                        |  |                     | <br> Somewhat limited<br>  Too sandy<br>            |                         |   | <br> 0.81<br> 0.50<br> 0.06      |
| GaC:<br>Galestown                                   | <br>  75<br> <br>      | <br> Somewhat limited<br>  Too sandy<br>                 | <br> <br> <br> 0.81 | <br> Somewhat limited<br>  Too sandy<br>            | <br> <br> <br> 0.81<br> | <br> Very limited<br>  Slope<br>  Too sandy<br>  Gravel content | <br> <br> 1.00<br> 0.81<br> 0.06 |
| HbA:<br>Hambrook                                    | <br> <br>  75<br>      | <br> <br> Not limited<br>                                | <br> <br> <br>      | <br> <br> Not limited<br>                           | <br> <br> <br>          | <br> <br> Not limited<br>                                       | <br> <br> <br>                   |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct.<br>  of<br> map<br> unit | ]<br>   | Camp areas                              |  | Picnic areas        |  |  |
|--------------------------|-------------------------------|---|---|--|---------------------|--|--|
|                          | <br> <br> <br> -              | <br>  Rating class and<br>  limiting features   |   | Rating class and   limiting features   |                     | <br>  Rating class and<br>  limiting features<br>  | Value  |
| HbB:<br>Hambrook         | <br> <br> -<br>  75           | <br> <br> Not limited<br>   |   | <br> <br> Not limited  | <br>                | <br> <br> Somewhat limited<br>  Slope  | 0.50   |
| HmA:<br>Hammonton        | <br> <br> -  75               |   |   | <br> <br> Somewhat limited<br>  Too sandy  |                     | <br> <br> Somewhat limited<br>  Too sandy  | 0.40   |
| HmB:<br>Hammonton        | <br> <br> -  75<br> <br>      |   |   | <br> <br> Somewhat limited<br>  Too sandy<br>  |                     |  | 0.50   |
| Hu:<br>Hurlock           | <br> -  80<br> -              | Depth to<br>  saturated zone  |   |  | 1.00<br>            | saturated zone   |  |
| In:<br>Indiantown        | <br>  75<br> <br> <br>        | Depth to<br>  saturated zone<br>  Flooding  | 1.00                                    | Ponding<br> <br>  Depth to<br>  saturated zone   | 1.00                | saturated zone<br>  Flooding<br>   |  |
| Ke:<br>Kentuck           | <br> <br>  85<br> <br>        | <br> <br> Very limited<br>  Depth to<br>  saturated zone  | 1 1.00                                  | <br> <br> Very limited<br>  Ponding  | <br> <br> <br> 1.00 | <br> <br> Very limited<br>  Depth to<br>  saturated zone   | 1.00   |
| KsA:<br>Klej             | <br> <br>  75<br> <br>        | Depth to   saturated zone   | 0.98                                    | saturated zone   | 0.75                | saturated zone   | 0.98   |
| KsB:<br>Klej             | <br>  75<br> <br> <br>        | Depth to saturated zone   | 0.98                                    | Depth to saturated zone  |                     | saturated zone<br>Slope  | 0.98   |
| Ma:<br>Manahawkin        | 80                            | <br>  Not Rated<br>  Not Rated; pH<br> <br>  Not Rated; Sieve<br>  size<br> <br>  Not Rated;<br>  Surface<br>  Fragments > 75mm | <br> <br> <br> <br> <br> <br> <br> <br> | <br>  Not Rated;<br>  Surface<br>  Fragments > 75mm<br>  Not Rated; %<br>  surface sand or<br>  clay<br>  Not Rated; Sieve<br>  size | İ                   | <br> Not Rated;<br>  Not Rated;<br>  Surface<br>  Fragments > 75mm<br>  Not Rated; Sieve<br>  size<br> <br>  Not Rated; %<br>  surface sand or<br>  clay | <br> <br> <br> <br> <br> <br> <br> <br> <br> |

Table REC-1.--Recreation--Continued

| and soil name                  |     |   |                         | Picnic areas  |                         | Playgrounds<br> <br>  |                |
|--------------------------------|-----|---|-------------------------|---|-------------------------|---|----------------|
|                                |     | Rating class and<br>  limiting features                     |                         | Rating class and   limiting features                        |                         | Rating class and   limiting features                                    |                |
|                                |     | Not Rated; %<br>  surface sand or<br>  clay                 |                         | Not Rated; pH   |                         | Not Rated; pH   | <br> <br> <br> |
|                                |     | Depth to<br>  saturated zone                                | 1.00                    | Ponding   | 1.00                    | Depth to saturated zone   | 1.00           |
| MC:   Mannington               | 5.0 | <br> <br> Very limited                                      |                         | <br> Very limited   |                         | <br> <br> Very limited  |                |
|                                | 30  | Depth to<br>  saturated zone                                |                         | Ponding   |                         | Depth to<br>  saturated zone  | 1.00           |
|                                |     | Flooding  | 1.00                    | Depth to saturated zone                                     | 1.00                    | Flooding  | 1.00           |
|                                |     | Ponding   | 1.00                    | Flooding  | 0.40                    | Ponding   | 1.00           |
| Nanticoke                      | 45  | <br> Very limited<br>  Depth to<br>  saturated zone         |                         | <br> Very limited<br>  Ponding                              |                         | Very limited<br>  Depth to<br>  saturated zone                          | 1.00           |
|                                |     | Flooding  | 1.00                    | Depth to saturated zone                                     | 1.00                    | Flooding  | 1.00           |
|                                |     | Ponding   | 1.00                    | Flooding  | 0.40                    | <br>  Ponding   | 1.00           |
| MeA:<br>Matapeake              | 80  | <br> <br> Not limited                                       | <br> <br> <br>          | <br> <br> Not limited                                       |                         | <br> <br> Not limited   |                |
| MeB:<br>Matapeake              | 80  | <br> Not limited<br>  | <br> <br> <br>          | <br> Not limited<br>  |                         | <br> Somewhat limited<br>  Slope  | 0.50           |
| MkA:<br>Matapeake              | 80  | <br> Not limited  |                         | <br> Not limited  |                         | <br> Not limited  | i<br>i         |
| MkB:<br>Matapeake              | 80  | <br> Not limited<br>  | i<br>                   | <br> Not limited<br>  |                         | <br> Somewhat limited<br>  Slope  | 0.50           |
| MpA:<br>Mattapex               | 80  |   |                         | <br> Somewhat limited<br>  Depth to<br>  saturated zone     |                         | <br> Somewhat limited<br>  Depth to<br>  saturated zone                 | 0.07           |
| MpB:<br>Mattapex               | 80  | <br> Somewhat limited<br>  Depth to<br>  saturated zone     | 0.07                    | <br> Somewhat limited<br>  Depth to<br>  saturated zone     | 0.03                    | <br> Somewhat limited<br>  Slope  | 0.50           |
|                                |     | Sacuraced Zone<br> <br> -                                   | <br> <br>               | Saturated Zone  |                         | Depth to saturated zone   | 0.07           |
| MqA:  <br>  Mattapex <br> <br> | 80  | <br> Somewhat limited<br>  Depth to<br>  saturated zone     | <br> <br> <br> 0.07<br> | <br> Somewhat limited<br>  Depth to<br>  saturated zone     | 0.03                    | <br> Somewhat limited<br>  Depth to<br>  saturated zone                 | 0.07           |
| MqB:<br>  Mattapex <br> <br>   | 80  | <br> Somewhat limited<br>  Depth to<br>  saturated zone<br> | <br> <br> 0.07<br> <br> | <br> Somewhat limited<br>  Depth to<br>  saturated zone<br> | <br> <br> 0.03<br> <br> | <br> Somewhat limited<br>  Slope<br> <br>  Depth to<br>  saturated zone | 0.50           |

Table REC-1.--Recreation--Continued

| Map symbol<br>and soil name | Pct.<br>of<br>map<br>unit       |   | Camp areas  <br> <br>         |  | Picnic areas                  |  | Playgrounds<br> <br>                  |  |
|-----------------------------|---------------------------------|---|-------------------------------|--|-------------------------------|--|---------------------------------------|--|
|                             | <br> <br> <br>                  |   |                               | <br>  Rating class and<br>  limiting features<br>              |                               |  | Value                                 |  |
| Mu:<br>Mullica              | <br> <br>  55<br> <br> <br>     | saturated zone<br>  Flooding  | 1                             | saturated zone<br>  Too sandy                                  |                               | saturated zone   | <br> <br> 1.00<br> <br> 0.40          |  |
| Berryland                   | 30                              | saturated zone<br>  Flooding<br> <br>  Ponding                          | 11.00                         | <br>  Depth to<br>  saturated zone<br>  Too sandy              | <br> 1.00<br>                 | saturated zone<br>  Ponding<br>                                  | <br> 1.00<br> <br> 1.00<br> <br> 0.52 |  |
| NnA:<br>Nassawango          | <br> -<br>  80                  | <br> <br> Not limited   | <br> <br> <br>                | <br> <br> Not limited  |                               | <br> Somewhat limited<br>  Gravel content                        | 0.22                                  |  |
| NnB:<br>Nassawango          | <br> -<br>  80<br>              | <br> Not limited<br> <br>   | <br>                          | <br> Not limited<br> <br>                                      |                               |  | <br> <br> 0.50<br> 0.22               |  |
| NsA:<br>Nassawango          | 80                              | <br> Not limited  |                               | <br> Not limited   |                               | <br> Somewhat limited<br>  Gravel content                        | 0.22                                  |  |
| NsB:<br>Nassawango          | <br> -  80<br>                  | <br> Not limited<br> <br>   |                               | <br> Not limited<br> <br>                                      |                               |  | 0.50                                  |  |
| Ot:<br>Othello              |                                 | <br> Very limited<br>  Depth to<br>  saturated zone                     |                               | <br> Very limited<br>  Depth to<br>  saturated zone            |                               | <br> Very limited<br>  Depth to<br>  saturated zone              | 1.00                                  |  |
| Othello                     | 40                              | <br> Very limited<br>  Depth to<br>  saturated zone                     |                               | <br> Very limited<br>  Depth to<br>  saturated zone            |                               |  | 1.00                                  |  |
| Pk:<br>Puckum               | 75<br> <br> <br> <br> <br> <br> | Not Rated; pH  Not Rated; Sieve size  Not Rated; % surface sand or clay | <br> <br> <br> <br> <br> <br> | Surface sand or clay   Not Rated; Sieve   size   Not Rated; pH | <br> <br> <br> <br> <br> <br> | Not Rated; % surface sand or clay Not Rated; pH                  |                                       |  |
|                             |                                 | Depth to<br>  saturated zone<br>  Flooding<br>                          | 1.00                          | Ponding<br> <br>  Depth to<br>  saturated zone                 | 1.00<br> <br> 1.00<br>        | Depth to<br>  saturated zone<br>  Content of<br>  organic matter | 1.00                                  |  |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | <br> Pct.<br>  of<br> map<br> unit | Camp areas  |                    | Picnic areas<br> <br>   |                    | Playgrounds   |                             |
|--------------------------|------------------------------------|---|--------------------|---|--------------------|---|-----------------------------|
|                          | <br> <br>                          | Rating class and<br>  limiting features<br>                       |                    | Rating class and<br>  limiting features                               |                    | Rating class and<br>  limiting features                             |                             |
| Pu:<br>Purnell           |                                    | <br> <br> Not Rated<br>  Not Rated; Sieve<br>  size<br>           |                    | <br> <br> Not Rated<br>  Not Rated;<br>  Surface clay<br>  percent or | <br> <br>          | <br> <br> Not Rated<br>  Not Rated; Sieve<br>  size<br>             |                             |
|                          |                                    | Not Rated;<br>  Surface clay<br>  percent or<br>  taxonomic class | İ<br>              | taxonomic class<br>  Not Rated; %<br>  surface sand or<br>  clay      | <br>               | Not Rated; %<br>  surface sand or<br>  clay                         |                             |
|                          |                                    | Not Rated; %<br>  surface sand or<br>  clay                       | İ                  | Not Rated; Sieve<br>  size<br>  |                    | Not Rated;<br>  Surface clay<br>  percent or<br>  taxonomic class   |                             |
|                          |                                    | saturated zone  |                    | Ponding   | 1                  | Depth to saturated zone   | 1.00                        |
|                          | <br> <br>                          | Salinity<br> <br>   | 11.00              | Depth to<br>  saturated zone<br>                                      |                    | Content of<br>  organic matter<br>                                  | 1.00                        |
| RoA:<br>Rosedale         |                                    |   |                    | <br> Somewhat limited<br>  Too sandy                                  |                    | <br> Somewhat limited<br>  Too sandy                                | 0.84                        |
| RoB:<br>Rosedale         | <br>  80<br>                       |   | 0.84               | <br> Somewhat limited<br>  Too sandy<br>                              | <br> <br> 0.84<br> |   | <br> 0.84<br> 0.50          |
| RuA:<br>Runclint         |                                    | <br> Somewhat limited<br>  Too sandy<br>                          |                    | <br> Somewhat limited<br>  Too sandy<br>                              |                    | <br> Somewhat limited<br>  Too sandy<br>  Gravel content            | 0.81                        |
| RuB:<br>Runclint         |                                    |   |                    | <br> Somewhat limited<br>  Too sandy<br>                              |                    | <br> Somewhat limited<br>  Too sandy<br>  Slope<br>  Gravel content | <br> 0.81<br> 0.50<br> 0.22 |
| SaA:<br>Sassafras        | <br>  75<br>                       | <br> Not limited<br>  |                    | <br> Not limited<br>  |                    | <br> Not limited<br>  |                             |
| SaB:<br>Sassafras        | <br>  75<br>                       | <br> Not limited<br>  |                    | <br> Not limited<br>  |                    | <br> Somewhat limited<br>  Slope                                    | 0.50                        |
| SaC:<br>Sassafras        | <br>  75<br>                       | <br> Not limited<br>  | <br> <br> <br>     | <br> Not limited<br>  |                    | <br> Very limited<br>  Slope  | 1.00                        |
| Su:<br>Sunken            | 100                                | <br> Very limited<br>  Depth to<br>  saturated zone<br>  Salinity | 1.00               | <br> Very limited<br>  Ponding<br> <br>  Depth to                     | 11.00              | <br> Very limited<br>  Depth to<br>  saturated zone<br>  Salinity   | 1.00                        |
|                          |                                    | <br>  Flooding<br>  Ponding<br>                                   | <br> 1.00<br> 1.00 | saturated zone<br>  Salinity<br>                                      | 11.00              | <br>  Ponding<br>  Flooding<br>                                     | <br> 1.00<br> 0.60          |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct.<br>  of<br> map<br> unit    |   |                                    | Picnic areas  |  | Playgrounds<br> <br>   |                                    |
|--------------------------|----------------------------------|---|------------------------------------|---|--|--|------------------------------------|
|                          | <br> <br>                        | <br>  Rating class and<br>  limiting features<br>         |                                    | Rating class and   limiting features  |  | Rating class and   limiting features   | Value                              |
| Tk:<br>Transquaking      | 90                               | Not Rated; pH<br>   | <br>                               | Not Rated   Not Rated; %   surface sand or clay   Not Rated; Sieve size   Not Rated; pH   Ponding   | <br> -<br> -<br> -<br> -<br> -<br> -<br> - | Not Rated   Not Rated; Sieve   size   Not Rated; %   surface sand or clay   Not Rated; pH     Depth to saturated zone  | 1 .00                              |
| TP:                      | <br>                             | Salinity  | 1.00                               | Depth to<br>  saturated zone<br>  | 1.00                                       | Content of<br>  organic matter<br>   | 1.00                               |
| Transquaking             |                                  | Not Rated; pH   | 1.00                               | Depth to saturated zone  Not Rated Not Rated; Surface Fragments > 75mm Not Rated; % surface sand or clay Not Rated; Sieve size  Not Rated; pH | 1.00                                       | saturated zone<br>  Content of<br>  organic matter<br>  Not Rated<br>  Not Rated;<br>  Surface<br>  Fragments > 75mm<br>  Not Rated; Sieve<br>  size<br>  Not Rated; %<br>  surface sand or<br>  clay<br>  Not Rated; pH | 1.00                               |
| Uc:<br>Urban Land        | <br> <br>  55<br> <br> <br> <br> | saturated zone<br> <br> <br> Not rated<br> <br> <br> <br> | <br> <br> <br> <br> <br> <br> <br> | <br> <br> Not rated<br> <br> <br> <br>  | <br> <br> <br> <br> <br> <br> <br>         | saturated zone<br> <br> <br> Not rated<br> <br> <br> <br>  | <br> <br> <br> <br> <br> <br> <br> |
| Acquango                 | <br>  35<br>                     |   | <br> <br> 1.00<br> 1.00            |   | <br> <br> 1.00<br> 0.01                    |  | <br> 1.00<br> 0.60                 |

Table REC-1.--Recreation--Continued

| Map symbol and soil name | Pct.<br>  of<br> map<br> unit                                   |  |                               | Picnic areas   |   | Playgrounds<br> <br>   |   |
|--------------------------|---|--|-------------------------------|--|---|--|---|
|                          |   | <br>  Rating class and<br>  limiting features<br>  | Value                         | Rating class and   limiting features   |   | <br>  Rating class and<br>  limiting features  | Value   |
|                          |   | Salinity   | 0.01                          |  |   | <br>  Salinity   | 0.01  |
| Um:<br>Urban Land        | 45  | <br> Not rated<br> <br>  |                               | <br> Not rated<br> <br>  |   | <br> Not rated<br> <br>  |   |
| Askecksy                 | <br> <br>  35<br> <br>  |  |                               | saturated zone   | 1.00<br>  | <br> <br> Very limited<br>  Depth to<br>  saturated zone<br>  Too sandy  | 11.00   |
| Un:<br>Brockatonorton    | 40  | <br> Very limited<br>  Flooding<br>  Too sandy<br>  Salinity   |                               | Salinity   | 1.00  | <br> Very limited<br>  Too sandy<br>  Flooding<br>  Salinity   | <br> 1.00<br> 0.60<br> 0.01   |
| Urban Land               | 40  | <br> Not rated<br> <br> <br>   | <br> <br> <br> <br>           | <br> Not rated<br> <br> <br>   | <br>  | <br> Not rated<br> <br> <br>   |   |
| Ur:<br>Urban Land        | <br> <br> <br> <br>  90<br>                                     | <br> <br> <br> Not rated<br> <br> <br>   | <br> <br> <br> <br> <br> <br> | <br> <br> <br> Not rated<br> <br> <br>   |   | <br> <br> <br> Not rated<br> <br> <br>   |   |
| Ut:<br>Urban Land        | <br> <br> <br> <br>  54<br> <br>                                | <br> <br> <br> Not rated<br> <br> <br>   | <br> <br> <br> <br> <br> <br> | <br> <br> <br> Not rated<br> <br>  |   | <br> <br> <br> Not rated<br> <br> <br>   |   |
| Udorthents               | <br>  44<br>  1   44<br>  1   1   1   1   1   1   1   1   1   1 | Not Rated   Not Rated; Surface clay   percent or   taxonomic class   Not Rated; Ksat   or taxonomic   class   Not Rated; Taxonomic or   texture class   Too sandy   Gravel content | 0.33                          | Not Rated   Not Rated; Surface clay percent or taxonomic class   Not Rated; Taxonomic or texture class   Not Rated; Ksat or taxonomic class   Too sandy Gravel content | <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> | Not Rated   Not Rated; Ksat   or taxonomic   class   Not Rated; Surface clay   percent or taxonomic class   Not Rated; Taxonomic or texture class   Gravel content   Too sandy   Too sandy | <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> <br> |

Table REC-1.--Recreation--Continued

| Initing features  Not Rated Not Rated; Surface clay percent or taxonomic class Not Rated; Ksat or taxonomic class  Not Rated; Taxonomic or | <br>   |  | <br> <br> <br> <br> <br> <br> <br> <br>   | Rating class and limiting features    Not Rated   Not Rated; Ksat   or taxonomic   class   | Value  |
|--|--|--|---|--|--|
| Not Rated; Surface clay percent or taxonomic class Not Rated; Ksat or taxonomic class  Not Rated; Taxonomic or                             | <br> <br> <br>   | Not Rated; Surface clay percent or taxonomic class Not Rated; Taxonomic or   | <br> <br> <br>  | Not Rated; Ksat  <br>  or taxonomic  |  |
| Too sandy Gravel content  Not Rated Not Rated; Slope  Not Rated; pH  Not Rated; Sieve size  Not Rated;                                     | 0.33   | Not Rated; Ksat or taxonomic class Too sandy Gravel content  Not Rated Not Rated; Surface Fragments > 75mm Not Rated; Surface clay percent or taxonomic class Not Rated; % surface sand or clay Not Rated;   | 0.33  | Too sandy     Not Rated   Not Rated; Ksat   or taxonomic   class   Not Rated;   Surface   Fragments > 75mm   | 1.00   |
|  | <br> <br> <br> <br> <br>   | texture class  | <br> <br> <br> <br> <br> <br>   | <br>  Not Rated; Slope  <br> <br>  |  |
| Not limited  | <br> <br>  | <br> Not limited   | <br>  | <br> Not limited   |  |
| Jot limited  | <br> <br> <br>   | <br> Not limited<br> <br>  | <br> <br> <br>  |  | 0.50   |
| saturated zone   | 1.00<br>   | Depth to<br>  saturated zone   | 1.00  | Depth to   saturated zone  | 1.00   |
| 110  | texture class Too sandy Gravel content  ot Rated Not Rated; Slope  Not Rated; pH  Not Rated; Sieve size  Not Rated; Surface Fragments > 75mm Not Rated; Surface clay percent or taxonomic class  ot limited  ot limited  Depth to saturated zone | texture class Too sandy   0.33 Gravel content   0.01  ot Rated Not Rated; Slope  Not Rated; pH  Not Rated; Sieve   Size  Not Rated; Surface   Fragments > 75mm   Not Rated; Surface clay   percent or taxonomic class  ot limited  ot limited  ery limited  Depth to saturated zone   1.00 | texture class Too sandy Gravel content  Ot Rated Not Rated; Slope Not Rated; Surface Fragments > 75mm Not Rated; Surface clay percent or taxonomic class Not Rated; Sieve size Not Rated; Not Rated; Surface sand or clay Not Rated; Surface Fragments > 75mm Not Rated; Sieve size Not Rated; Not Rated; Surface sand or clay Not Rated; Surface Fragments > 75mm Not Rated; Not Rated; Surface Fragments > 75mm Not Rated; Not Rated; Surface clay percent or taxonomic or taxonomic class  Ot limited  Not limited  Popth to Saturated zone  Very limited  Depth to Saturated zone | texture class Too sandy Gravel content  Ot Rated Not Rated; Slope Not Rated; Slope Not Rated; Surface Fragments > 75mm Not Rated; Surface clay percent or taxonomic class Not Rated; Surface Size Not Rated; Sieve size Not Rated; Sieve Size Not Rated; Surface sand or clay Not Rated; Surface Fragments > 75mm Not Rated; Surface Fragments > 75mm Not Rated; Not Rated; Surface Fragments > 75mm Not Rated; Not Rated; Surface Fragments > 75mm Not Rated; Not Rated; Slope Surface clay percent or taxonomic class  Not Rated; Not Rated; Slope Surface clay percent or taxonomic class  Ot limited  Not limited  Not limited  Popth to Saturated zone  Very limited Saturated zone | texture class Too sandy Too sandy Gravel content Too sandy Too sandy Gravel content Too sandy Too sandy Too sandy Too sandy Too sandy Too sandy Too sandy Too sandy Too sandy Too sandy  Ot Rated Not Rated Not Rated; Slope Not Rated; Surface Fragments > 75mm Not Rated; Surface clay Percent or Taxonomic class Not Rated; Sieve Size Not Rated; Not Rated; Surface sand or Clay Not Rated; Surface Fragments > 75mm Not Rated; Surface Surface Taxonomic or Fragments > 75mm Not Rated; Surface Fragments > 75mm Not Rated; Surface Surface Fragments > 75mm Not Rated; Surface Taxonomic or Fragments > 75mm Not Rated; Surface clay Percent or Taxonomic or Taxonomic or Fragments > 75mm Not Rated; Surface clay Percent or Taxonomic class Not Rated; Surface clay Percent or Taxonomic class Not Rated; Surface clay Percent or Taxonomic class Ot limited Not limited Not limited Not limited Very limited Depth to Saturated zone Saturated zone Saturated zone Saturated zone |